



10/ 620 727  
COFC

PATENTS  
BIO-1 Div.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

Patentees : Rafael Andino et al.  
Patent No. : 6/907,294  
Issued : June 14, 2005  
On Application No. : 10/620,727  
Filed : July 15, 2003  
For : APPARATUS AND MEHTODS FOR  
FACILITATING WOUND HEALING

New York, NY 10020  
November 22, 2005

Certificate of Correction Branch  
Hon. Commisioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

Certificate  
NOV 30 2005  
of Correction

REQUEST UNDER 37 C.F.R. § 1.323  
FOR CERTIFICATE OF CORRECTION

Sir:

Enclosed is a Certificate of Correction (Form PTO-1050, in duplicate) listing printing errors that have been found in the above-identified patent. Patentees and their assignee, Biofisica, LLC, respectfully request that the United States Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.323. At least one of the listed errors is believed to be the responsibility of

11/29/2005 HNGUYEN1 00000002 061075 6907294

01 FC:1811 100.00 DA


NOV 30 2005

patentees. None of the corrections constitute new matter or require reexamination.

The Director of the USPTO is hereby authorized to charge \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) and any additional fee due in connection with this Request to Deposit Account No. 06-1075, Order No. 000733-0001. A duplicate copy of this Request is enclosed herewith.

Prompt issuance of the Certificate of Correction is respectfully requested.

Respectfully submitted,




James A. Leiz

Reg. No. 46,109

Attorney for Patentees and Assignee

FISH & NEAVE IP GROUP  
ROPES & GRAY LLP  
Customer No. 1473  
1251 Avenue of the Americas  
New York, New York 10020  
Tel.: (212) 596-9000  
Fax: (212) 596-9090

I hereby certify that this  
Correspondence is being  
deposited with the U.S.  
Postal Service as First  
Class Mail in an envelope  
Addressed to:  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450 on

Nov. 22, 2005  
  
Signature of Person Signing

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE

### CERTIFICATE OF CORRECTION

PATENT NO : 6,907,294  
DATED : June 14, 2005  
INVENTOR(S) : Andino et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Section (56), Other Publications, in 2<sup>nd</sup> occurrence of "Gentzkow", delete "et al.";

Section (56), Other Publications, in 1<sup>st</sup> occurrence of "Kloth", change "Healing" to -- Heating --;

Section (56), Other Publications, in "Semron", change "Dejáan" to -- Deján --;

Section (56), Other Publications, in "Stefanouska", insert -- & -- after "Engineering";

Col. 3, line 40, change "includes-two" to -- includes two --;

Col. 4, line 42, insert -- with -- after "dance";

Col. 4, line 52, change "alone" to -- along --;

Col. 5, line 47, change "polyethylene" to -- polyethylene --;

Col. 6, line 46, change "approximate" to -- approximately --;

Col. 6, line 55, change "In another" to -- In other --;

Col. 7, line 25, change "than of 1" to -- than 1 --;

MAILING ADDRESS OF SENDER:

James A. Leiz  
Fish & Neave IP Group  
Ropes & Gray LLP  
1251 Avenue of the Americas  
New York, New York 10020

PATENT NO. 6,907,294

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO : 6,907,294  
DATED : June 14, 2005  
INVENTOR(s) : Andino et al.

Col. 7, line 26, change "greater 10,000" to -- greater than 10,000 --;

Col. 7, line 57, change "44 in negative" to -- 44 is negative --;

Col. 8, line 58, change "stretch" to -- stretched --;

Col. 9, line 30, change "differential-voltage" to -- differential voltage --; and

Col. 9, line 37, change "electrode" to -- electrodes --.

MAILING ADDRESS OF SENDER:

James A. Leiz  
Fish & Neave IP Group  
Ropes & Gray LLP  
1251 Avenue of the Americas  
New York, New York 10020

PATENT NO. 6,907,294

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.